# Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

**ORGANOMETAL** sa Product name: ORGANO Pb 30

Revision Date:10.01.2015

Edition:05

Print date:20.01.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING		
<b>1.1 Product identifier</b> Trade name: REACH Registration No.:	ORGANO Pb 30 The registration numbers are not available for all the substances of this preparation as the annual production quantities of these substances do not require immediate registration.	
<b>1.2 Relevant identified uses of t</b> Use: Uses advised against	<b>he substance or mixture and uses advised against</b> See Section 7.3 None	
<ul> <li>1.3 Details of the supplier of the Company: Address: Telephone: Fax: E-mail: Informatio about the MSDS:</li> <li>1.4 Emergency telephone numb</li> </ul>	ORGANOMETAL SA G, Androutsou 5 Koukaki Athens +30 22620 30982 +30 22620 56646 info@organometal.gr Kougias Ioannis, <u>sales@organometa.gr</u>	
2. HAZARDS IDENTIFICATION		
<b>2.1 Classification of the substar</b> <i>Classification (REGULATION (EC)</i> Flammable liquids, Category 3 Acute Tox. 4 (oral) (inhalation) Aquatic Chronic 2		
Classification according to Directiv Indication(s) of danger Flamable F	re 67/548/EEC Risk phrases R10 Flammable	

Flamable F	R10 Flammable
	R20/22 Harmful by inhalation and if swallowed
Harmful: Xn	R33 Danger of cumulative effects
	R 48/20 Harmful: danger of serious damage to health by prolonged exposure
	through inhalation
Repr. Cat. 1	R61 May cause harm to the unborn child.
Repr. Cat. 2	R62 Possible risk of impaired fertility
Irritant: Xi	R66 Repeated exposure may cause skin dryness or cracking
	R67 Vapours may cause drowsiness and dizziness
Dangerous for the environment N	R50/53 Very toxic to aquatic organisms, may cause long-term ad erse

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006				
ORGANOMETAL sa Product name: ORGANO Pb 30	)			
Revision Date:10.01.2015	Edition:05	Print da	te:20.01.2015	
2. HAZARDS IDENTIFICATION				
<b>2.2 Label elements</b> Labelling (REGULATION (EC Hazard pictograms	) No 1272/2008)			<b>E</b>
Signal word:	GHS02 DANGER	GHS08	GHS07	GHS09
Precautionary statements :	P240 Ground/bor	nd container and on-proof electric on-sparking tool utionary measu	d receiving equipr cal/ventilating/light s. res against static	ting/ / equipment.
Response:				ave been read and
	<ul> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P281: Use personal protective equipment as required.</li> <li>P310: Immediately call a POISON CENTER or doctor/physician.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313: IF exposed or concerned: Get medical advice/attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction</li> </ul>			
Storage:		233 Store in a v		ace. Keep container tightly
Disposal:	•		authorised compa	any for waste treatment.

Chemical name	EINECS No. CAS No.	Classification 167/548/EEC	Classification 1272/2008	Concentration [%]
Lead bis 2-ethylhexanoate	206 -107-0 301-08-6	Xn;20/22, 33, Repr. Cat. 1,2 :R61,R62 ;50/53,	Rep. Tox. Cat.1 H360 f d H410 H332 H302 H372	70
Mineral spirit aliphatic REACH Reg. : 01-2119458049-33-0001	- Reference No.:64742-82-1	F; R10 Xn;R48/20, R65,67 Xi;R66 ;51/53,	Flam. Liq. 3; H226 Asp Tox. 1; H304 STOT SE 3; H336 STOT RE 1; H372 Aquatic Chronic 2; H411	30

Material Optate Data Object		
Material Safety Data Sheet according to Regulation (EC) No. 1907/2006		
ORGANOMETAL sa Product name: ORGANO Pb 30	)	
Revision Date:10.01.2015	Edition:05 Print date:20.01.2015	
4. FIRST AID MEASURES		
4.1 Description of first aid meas	sures	
	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled :	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact :	If skin irritation persists, call a physician. If on skin, rinse well with water and soap. If on clothes, remove clothes.	
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. D not induce omiting	
Notes lor the doctor:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately	
	s and effects, both acute and delayed	
Inhalation	Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.	
Skin contact: Eye contact:	Can cause moderate skin irritation, defatting, and dermatitis. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary ision impairment (cloudy or blurred ision) is possible.	
Ingestion:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, omiting and diarrhea.	
Risks:	Aspiration into the lungs can cause fatal chemical pneumonitis	
<b>4.3 Indication of any immedia</b> Treatment:	te medical attentiin and special treatment needed If nausea or irritation does not appear after ingestion, gi e 50 100g medicinal carbon in water slurry.	
5. FIRE FIGHTING MEASURES		
5.1 Extinguishing media Suitable extinguishing media: Extinguishing media which must not be used for safety reasons:	Dry chemicals,CO <sub>2</sub> , Foam, water fog. High volume water jet.	

5.2 Special hazards arising from the substance or mixture

reasons:

Specific hazards arising from the	Vapor is flammable and hea ier than air. Vapor may tra el across the
chemical	ground and reach remote ignition sources, causing a flashback fire
	danger.
Hazardous combustion products	Smoke, Fume, Incomplete combustion products, Oxides of carbon.

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006		
ORGANOMETAL sa Product name: ORGANO Pb 30		
Revision Date:10.01.2013	Edition:05 Print date:20.01.2015	
5. FIRE FIGHTING MEASURE	S	
<b>5.3 Advice for fire-fighters</b> Special protective equipment for fire - fighters:	Wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use a water spray to cool fully closed containers.	
6. ACCIDENTAL RELEASE M	EASURES	
<b>6.1 Personal precautions, p</b> Personal precautions:	rotective equipment and emergency procedures Use personal protective equipment (gloves, clothes, mask) Ensure adequate ventilation system. Keep away form sources of ignition and high temperature.	
	A oid contact with spilled material. Warn or e acuate occupants in surrounding and downwind areas if required, due to toxicity orflammability of the material	
<b>6.2 Environmental precaution</b> Environmental precautions:	ons Prevent entry into waterways, sewers, basements or confined areas In the e ent of a spill or accidental release, notify relevant authorities	
	or containment and cleaning up	
Land Spill	Eliminate all ignition sources. top leak if you can do so without risk. equipment used when handling the product must be grounded. D not touch or walk through spilled material. Vapor-suppressing foam may be used to reduce apor. Large Spills: Water spray may reduce apor, but may not pre ent ignition in	
Water Spill	Stop leak if you can do so without risk. Eliminate sources of ignition. Warn or e acuate occupants in surrounding and downwind areas if required, due to toxicity or flammability of the material. Seek the ad ice of a specialist before using dispersants.	
For containment: Land Spill	Use clean non-sparking tools to collect absorbed material. Absorb or co er with dry earth, sand or other non-combustible material and transfer to containers	
For containment: Water Spill	If the Flash Point exceeds the Ambient Temperature by 10 deg C or more, use containment booms and remo e from the surface by skimming or with suitable absorbents when conditions permit. If the Flash Point does not exceed the Ambient Air Temperature by at least 10C, use booms as a barrier to protect shorelines and allow material to e aporate.	

## 7. HANDLING AND STORAGE 7.1 Precautions for safe handling Advice on safe handling: Avoid contact. Keep away form sources of ignition. Do not eat, smoke or drink when using. When pumping use anti-explosive motors. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure.

## Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

#### **ORGANOMETAL** sa Product name: ORGANO Pb 30

Revision Date:10.01.2015

Edition:05

Print date:20.01.2015

## HANDLING AND STORAGE

7.2 Conditions for safe stora	age, including any incompatibilities
Advice on safe storage	Keep containers up, tightly closed, in dry and well ventilated place and away form heat and sources of ignition.
	In case of repackaging use lacquered iron drams.
7.3 Specific End Use(s)	
	Formulation of coatings containing $\pm$ ead bis(2-ethylhexanoate)q
	Industrial use of coatings containing $\pm$ ead bis(2-ethylhexanoate)q
	Professional use of coatings containing Lead bis(2-ethylhexanoate)

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters Mineral spirit Reference No.:	64742-82-1		
National Limit Values	Limit value 8 hrs 575mg/m <sup>3</sup> , 100ppm		
National Limit Values	Limit value shirs 575mg/m <sup>3</sup> , 100pp/m Limit value short-term 720mg/m <sup>3</sup> , 125ppm		
National Elimit Values	Acute Systemic Effects	Long-term Systemic effects	
Inhalation - workers	DNEL 570mg/m <sup>3</sup>	330 mg/m <sup>3</sup>	
	DNEL 570mg/m	5	
Dermal - workers	- DNEL 570mg/m <sup>3</sup>	44 mg/kg bw/day 71 mg/m <sup>3</sup>	
Inhalation - general population	DNEL 570mg/m	-	
Dermal - general population	-	26 mg/kg bw/day	
Oral - general population	-	26 mg/kg bw/day	
Lead bis(2-Ethyl hexanoate) C	CAS No.:136-51-6		
National Limit Values	EH40 OES / TWA 8 hrs 0,	15mg/m <sup>3</sup>	
	Acute Systemic Effects	Long-term Systemic effects	
Inhalation - workers	-	NOAEL = 40 g/dL	
Dermal - workers			
Inhalation - general population Dermal - general population Oral - general population		NOAEL = 10 g/dL	
8.2 Exposure controls Personal protective equipment			
Respiratory protection:	In case of insufficient vent	ilation wear suitable respiratory equipment.	
	Half-face filter respirator: ⊺	Type filter material.	
Skin and body protection: Hand protection:		duct. Wear long sleeved clothing. reak through time: 120 min standards 420 and 374.	

## Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

#### **ORGANOMETAL** sa

Product name: ORGANO Pb 30

Revision Date:10.01.2015

Edition:05

Print date:20.01.2015

8. EXPOSURE CONTROLS/ PER	SONAL PROTECTION
Eye protection:	Wear tightly fitting goggles.
	Have near eyewash bottle with pure water.
Hygiene measures:	Wash hands before breaks and at the end of workday. Gloves must to be worn on clean hands.
Environmental exposure controls	If the product contaminates rivers and lakes or drains inform respective authorities.
General advice :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form:	Liquid
Colour:	Yellow, Gardner 2-4
Odour:	Characteristic mineral sprit
рН	Not applicable
Melting point:	-15
Boiling point:	140 °C
Ignition temperature:	41 °C
Lower explosion limit:	0.6% v/v
Upper explosion limit:	7% v/v
Vapour pressure:	231 kPa at 20C <sup>o</sup> for white spirit
Density:	1.230 gr./cm <sup>3</sup>
Solubility:	Not available
Viscosity:	250 cSt

#### **10. STABILITY AND REACTIVITY**

10.1 Reactivity	·
10.2 Chemical stability	No decomposition if stored and applied as directed
<b>10.3 Possibility of hazardous r</b> Hazardous reactions :	eactions Will not occur.
10.4 Conditions to avoid:	Avoid heat, open flames, sparks.
10.5 Incompatible materials	Strong oxidizing agents.
10.6 Hazardous decomposition products:	Carbon oxides, its metal containing substances.
Thermal decomposition:	Thermal decomposition dose not occur.
Other information:	Polymerization dose not occur.

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006					
ORGANOMETAL sa Product name: ORGANO Pb 30					
Revision Date:10.01.2015	Edition:05 Print date:20.01.2015				
11. TOXICOLOGICAL INFORMAT	ΓΙΟΝ				
11.1 Information on toxicological effects					
<i>Acute oral toxicity:</i> Lead bis(2-ethylhexanoate) White Spirit	Low toxicity: LD50 dosage for rat: >2000 mg/kg bw LD50 > 15,000 mg/kg				
<i>Repeated dose toxicity:</i> Lead bis(2-ethylhexanoate)	NOAEL = 40 g/dL				
<i>Acute dermal toxicity:</i> Lead bis(2-ethylhexanoate) White spirit	Low toxicity:LD50 >2000 mg/kg bw LD50 > 4 ml/kg (~ LD50> 3400 mg/kg bw)				
<i>Inhalation:</i> Lead bis(2-ethylhexanoate) White spirit	LC50 (4 h inhalation, rat) > 5mg/L LC50 > 13.1 mg/l				
<i>Skin irritation:</i> Lead bis(2-ethylhexanoate) White spirit	Not irritating Not irritating				
<i>Eye irritation:</i> Lead bis(2-ethylhexanoate) White spirit	Severely irritating to the eyes Not irritating				
<i>Respiratory or skin sensitization</i> Lead bis(2-ethylhexanoate) White spirit	No respiratory sensitizer No respiratory sensitizer				
<i>Sensitisation:</i> Lead bis(2-ethylhexanoate) White spirit	Not sensitizing Not sensitizing				
<i>Carcinogenicity</i> Lead bis(2-ethylhexanoate)	Epidemiology studies of workers exposed to inorganic lead compounds have found a limited association with stomach cancer.				
White spirit	Not carcinogenic				
Germ cell mutagenicity Lead bis(2-ethylhexanoate) White spirit	Not mutagenic, non clastogenic Not mutagenic, non clastogenic				
<i>Toxicity to reproduction:</i> Lead bis(2-ethylhexanoate) White spirit	NOAEL(rat; F1) = 100 mg/kg bw/day NOAEC (rat) 300ppm				
Target Organ Systemic Toxicant - Lead bis(2-ethylhexanoate)	Repeated exposure oxicity in multiple organ systems and body function including the haemotopoetic (blood) system, kidney function, reproductive function and the central nervous system.				
White spirit	Toxicity to nervous system				
Aspiration Hazard: Lead bis(2-ethylhexanoate)					
White spirit	Harmful: may cause lung damage if swallowed				

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006				
ORGANOMETAL sa Product name: ORGANO Pb 30				
Revision Date:10.01.2015	Edition:05	Print date:20.01.2015		
12. ECOLOGICAL INFORMATION				
<ul> <li>12.1 Eco toxicity Effects Lead bis(2-ethylhexanoate)</li> <li>Fish toxicity:</li> <li>Aquatic invertebrates Daphnia</li> <li>Algae Pseudokirchneriella</li> <li>Micro-organisms</li> <li>White Spirit</li> <li>Fish toxicity:</li> <li>Aquatic invertebrates</li> <li>Algae</li> <li>Micro-organisms</li> <li>12.2 Biodegradability:</li> <li>12.3 Bioaccumulation:</li> <li>12.4 Mobility:</li> <li>12.5 Results of PBT and vPvB</li> </ul>	EC50/LC50 for fr EC50/LC50 for fr No information a LL50 = 10-30 mg L50 = 10 - 22 m	y/L ng/L mg/l (two studies) y/l dable.		
12.5 Additional information	Toxic to aquatic	organisms, may cause long-term adverse effects.		

#### 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
Product:	Can be incinerated, when in compliance with local regulations.
	Product must not enter drains or contaminate soil.
Unclean Empty Packaging:	Empty containers should be taken for local recycling or waste
	European Disposal code: 080199
	Do not re-use empty containers.
	Do not burn or use a cutting torch on the empty drum.

### 14. TRANSPORT INFORMATION

Land transport ADR/RID: Packaging Group:	Class 3
UN- No:	1300
Shipping Labels:	
See transport	
IMDG:	Class 3
Packaging Group:	
UN- No:	1300
EmS	F-E-S-E
Marine pollutant:	Yes
Shipping Labels:	RAMMABLE LOUID

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006					
ORGANOMETAL sa Product name: ORGANO Pb 3	0				
Revision Date:10.01.2015	Edition:05	Print date:20.01.2015			
15. REGULATORY INFORMATION         15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtu         EU regulations:       91/155/ , 93/112/ and 99/45/         The components of the product are listed in EINECS inventory.					
Major Accident Hazard Legislation Other Legislation	96/82/EC Update 96/82/EC Dange 96/69/EC The be	96/82/EC Update: 2003 96/82/EC Dangerous for the environment. 96/69/EC The benzene content of this product is less than 0,1%			
National legislation	Nota P applies. ( not required.	Classification and labelling as carcinogen R45 is			

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for the substance Lead bis(2-ethylhexanoate).

#### 16. OTHER INFORMATION

R Phrases and H Statements used in Section 2

R20/22 Harmful by inhalation and if swallowed.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation R33 Danger of cumulative effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R61 May cause harm to the unborn child.

R62 Possible risk of impaired fertility.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H371: Cause damage to organs through prolonged or repeated exposure

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

#### **Additional information**

The information in this document should be made available to all who handle the product. The information given herein is based on our present state of knowledge and concern specifically the described material. There is no guarantee when used in combination with other materials or to unknown applications.